


MADE  **TOUGH IN AFRICA**
ISO 9001



Faster | **Stronger** | Smarter

2026 PRICE CATALOGUE



www.connect-it.cc



Connect-it is a modular framework solution

Welding any tubing is a difficult and time consuming task.

Connect-it enables you to build frameworks using square or round tubing without needing to weld, using square (19mm, 25mm, 38mm, 50mm) or round (38mm and 25mm) steel and aluminium tubing.

#AfricanExcellence



BUY AFRICAN PRODUCTS : MADE-TOUGH-IN-AFRICA PRODUCTS *CREATIVE RESTORATION!*

Africa is often referred to the cradle of humankind and creativity. The greatest value of Africa is it's diverse people, that are characterized by incredible creativity and a contagious joy. The geographical size, natural resources, minerals, resources, arable land, intense sun radiance and water resources are just some of the assets of Africa. Exploitation of these, which has mostly been through man-made borders and wars;- have resulted in an unjust imbalance of wealth between the exploiting nations and us Africans. Charity and war relief are usually used as a disguise to plunder Africa's resources. The worst effect of charity is on the persons mindset, as it strips the dignity and self-worth from the person, thereby enslaving the person. The opposite of charity is empowerment and encouraging the true and unique purpose of each person.

Africa is now at this point of inflection, or cusp of change, that is likely to be spearheaded by the creativity and joy that has been imbedded into the hearts of most Africans. It's time for the creative restoration of Africa!

And as as a proudly African company;- we are 100% behind local Innovation, manufacturing, farming, and creativity as a whole.

All it takes is just one trip to Africa, to ignite a new outlook towards the continent and the people of Africa. If you are African (born on the continent of Africa), we dare you to manufacture and export your innovative products to the world.

People are the real economy. Use your God-given talents.

We invite you to embrace the exciting **creative restoration** journey with us, then we encourage you to buy 'Made-Tough-In-Africa' innovative products, and refrain from buying raw materials that exploit our continent and our people. Africa needs live aid [Empowerment] and not dead aid [Charity].

Together we can make it a worldwide trend, to truly empower Africa.

**“If you want to go fast, go alone,
if you want to go far, go together.”**

- African Proverb

**BUY & SUPPORT:
MADE-TOUGH-IN-AFRICA !!**

WWW.connect-it.cc

**AFRICA'S
IDEA**



CONNECT-IT PROFILES

50MM / 2 INCH SQUARE RANGE

- 1) 50x50mm Black Powder coated Mild Steel
 - a. Exact dimensions: 50,8mm x 50,8mm
 - b. 1,2mm Wall Thickness
 - c. Industry Standard
 - d. Interior use
- 2) 50x50mm Aluminium
 - a. Exact Dimensions: 50mm x 50mm
 - b. 1.2mm Wall thickness
 - c. Aircraft grade aluminium: 6061-T6
 - d. Full Coastal Application
 - e. Super lightweight, with fair strength

38MM / 1 1/2 INCH SQUARE RANGE

- 1) 38x38mm Black Powder coated Mild Steel
 - a. Exact dimensions: 38,1mm x 38,1mm
 - b. 1,5mm Wall Thickness
 - c. Industry Standard
 - d. Interior use only
- 2) 38x38mm Aluminium
 - a. Exact Dimensions: 38mm x 38mm
 - b. 1,2mm Wall thickness
 - c. Aircraft grade aluminium: 6061-T6
 - d. Indoor & Outdoor, Full Coastal Application
 - e. Super lightweight, with fair strength

38MM / 1 1/2 INCH ROUND RANGE

- 1) 38x38mm Aluminium
 - a. Exact Dimensions: 38mm x 38mm
 - b. 1,2mm Wall thickness
 - c. Aircraft grade aluminium: 6061-T6
 - d. Indoor & Outdoor, Full Coastal Application
 - e. Super lightweight, with fair strength

25MM / 1 INCH SQUARE RANGE

- 1) 25x25mm Black Powder coated Mild Steel
 - a. Exact dimensions: 25,4mm x 25,4mm
 - b. 1,2mm Wall Thickness
 - c. Industry Standard
 - d. Interior use only

- 2) 25x25mm Aluminium
 - a. Exact Dimensions: 25mm x 25mm
 - b. 1.2mm Wall thickness
 - c. Aircraft grade aluminium: 6061-T6
 - d. Full Coastal Application
 - e. Super lightweight, with fair strength

25MM / 1 INCH ROUND RANGE

- 1) 25x25mm Black Powder coated Mild Steel
 - a. Exact dimensions: 25,4mm x 25,4mm
 - b. 1,2mm Wall Thickness
 - c. Industry Standard
 - d. Interior use only

- 2) 25x25mm Aluminium
 - a. Exact Dimensions: 25.4mm x 25.4mm
 - b. 1mm Wall thickness
 - c. Aircraft grade aluminium: 6061-T6
 - d. Full Coastal Application
 - e. Super lightweight, with fair strength

19MM / 3/4 INCH SQUARE RANGE

- 1) 19x19mm Black Powder coated Mild Steel
 - a. Exact dimensions: 19,1mm x 19,1mm
 - b. 1,2mm Wall Thickness
 - c. Industry Standard
 - d. Interior use only

FASTENER USAGE

NB!

INTO: PROFILE


- Stitching Screws
(Tapered shaft)



FOR THIN WALLED TUBING

INTO: CONNECTOR

- Wafet Tek Screws
- Lock Pins





SIGNAGE

"Tomorrow belongs to people who prepare for it today."

**AFRI
CAN
PRO
VERB**

4X4 & CARAVANS



MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter



SHOPFITTING & RETAIL



"However far a stream flows, it doesn't forget its origin."



SHELVING & RACKING



EVENTS & ENTERTAINMENT

"If there is no enemy within, the enemy outside can do no harm."


**AFRI
CAN
PRO
VERB**

PETS



MADE **TOUGH** IN **AFRICA**

Connect-it >>>> Faster | **Stronger** | Smarter



GLAMPING TENTS

AFRI
CAN
PRO
VERB

*"If you think you're too small to make a difference,
try spending the night with a mosquito."*



URBAN FARMING



DIY & HOME

When an old man dies, a library is burned with him.

**AFRI
CAN
PRO
VERB**



OUTDOOR & PATIO

MADE **TOUGH** IN **AFRICA**

Connect-it >>>> Faster | **Stronger** | Smarter

SOLAR POWER



Knowledge without wisdom is like water in the sand.

OFF-GRID LIVING



STRUCTURAL

*It is better to live as a lion for one day rather than
100 years as a sheep.*

**AFRI
CAN
PRO
VERB**

POP-UP's & VENDORS



POINT OF SALE (POS)

**AFRI
CAN
PRO
VERB**

*In the moment of crisis, the wise build bridges,
and the foolish build dams.*



INTERIOR DESIGN

AGRICULTURAL/LANDBOU

When deed speaks, words are nothing.



SPORT & RECREATION

MADE **TOUGH** IN **AFRICA**


Connect-it >>>> Faster | **Stronger** | Smarter



MEDICAL & TECHNOLOGY

**AFRI
CAN
PRO
VERB**

A wise person doesn't fall down the same hill twice.




MARINE & FISHING



MADE
TOUGH IN AFRICA
ISO 9001

50mm Square

2 inch SQ.






AGRICULTURAL & OUTDOOR
INDUSTRIAL / FACTORY SOLUTIONS
WORK BENCHES
BINS & UTILITY TROLLIES



SOLAR
SOLUTIONS



SHELVING / RACKING
SOLUTIONS



ARCHITECTURE
ROOM DIVIDERS
HOUSING SOLUTIONS

Connect-it 50mm connectors are designed for heavy duty usage, but don't let that limit your creative applications!

They have proven to be 75% **stronger** than welding 50x50x1.2mm steel tubing, and 8X **faster**!

See torque test on Pg 55

TRY OUR NEW 50mm
AERONAUTICAL GRADE
ALUMINIUM - 6061

Connect-it >>>> Faster | **Stronger** | Smarter

MADE TOUGH IN AFRICA

50mm/2" Square Range



Brace Connector

50-SQ-BRACE-B

- Industrial Polymer Formulation
- Secure into profile with High Torque Stitching Screws
- Fits 1.2-1.6mm wall thickness

R 59.95

ea. incl. VAT



Corner Piece Connector

50-SQ-2-90-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 79.95

ea. incl. VAT



3 Way Connector

50-SQ-3-90-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 99.95

ea. incl. VAT



T-Piece Connector

50-SQ-T-PIECE-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 99.95

ea. incl. VAT



4 Way Connector

50-SQ-4-90-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 109.95

ea. incl. VAT



Straight Connector

50-SQ-2-180-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 69.95

ea. incl. VAT

BUILD BIGGER!



5 Way Connector

50-SQ-5-90-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 119.95

ea. incl. VAT



6 Way Connector

50-SQ-6-90-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 129.95

ea. incl. VAT



Flat Cross Connector

50-SQ-4-FLAT-B

- Industrial Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 109.95

ea. incl. VAT



50mm/2"



50mm/2"

50mm Square Adjustable Connectors

2 Way Adjustable

50-SQ-ADJ-2WAY-B

- Adjustable from 30°-195° in 15° increments
- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 119.95

ea. incl. VAT

3 Way Adjustable

50-SQ-ADJ-3WAY-B

- Adjustable from 30°-195° in 15° increments
- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 129.95

ea. incl. VAT

4 Way Adjustable

50-SQ-ADJ-4WAY-B

- Adjustable from 30°-195° in 15° increments
- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness

R 139.95

ea. incl. VAT


50mm/2" Square Range



TAKE NOTE
FASTENERS

STITCHING
SCREWS
INTO
PROFILE

WAFER TEKS
& LOCK PINS
INTO
CONNECTOR



Powder Coated Steel

50-STEEL-SQ-POWDER-COATED-2M

- 50x50mm
- 2m lengths
- Powder coated black
- Ideal for indoor use



50mm Drilling Jig

50mm-DRILLING-JIG-CRD



50mm End Cap

50-SQ-END-CAP-B

R 249.95


ea. incl. VAT

R 59.95

ea. incl. VAT

R 7.95

ea. incl. VAT



Adjustable End Cap

50-SQ-END-CAP-B

- Use with Adjustable Foot or on its own
- Fits 1.2-1.6mm wall thickness

Adjustable Foot

50-SQ-ADJ-FOOT-B

- Use with 50mm or 38mm Adjustable End Caps



R 29.95

ea. incl. VAT

R 29.95

ea. incl. VAT




50mm Square Aluminium Tube

50-ALU-SQ-3M

- Natural OR matt black powder coated
- 3m lengths
- High tensile, tough aircraft grade (6061)
- Ideal for outdoor & coastal

 **R 419.95** ea. incl. VAT

 **R 449.95** ea. incl. VAT



50mm Square Alu-Connect Tube

50-ALU-SQ-CONNECT-3M

- Aircraft Grade 6061-T6 Aluminium
- Reinforced Corners
- 3.0m lengths

R 599.95 ea. incl. VAT



CHAMELEON SOLAR BRACKETS

Universal Solar Solutions

Page 47






MADE
TOUGH IN AFRICA
ISO 9001




38mm Square

1½ inch SQ.



MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter

**RETAIL/SHELVING
SOLUTIONS****CREATIVE IDEAS****AGRICULTURAL SOLUTIONS****GARDENING & DIY****INDUSTRIAL
APPLICATIONS****FURNITURE & HOME**

Connect-it 38mm connectors are the perfect all rounders! UV protected for extended outdoor lifespan, and versatile enough for more creative, indoor applications, they are tested to be 50% stronger than welding 38x38x1.2mm steel tubing.

See torque test on Pg 55

38mm/1½"

Square Range




Brace Connector

38-SQ-BRACE-B

- Advanced Polymer Formulation
- Secure into profile with High Torque Stitching Screws
- Fits 1.2-1.6mm wall thickness steel profiles

R 39.95

ea. incl. VAT




Corner Piece Connector

38-SQ-2-90-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 49.95

ea. incl. VAT



T-Piece Connector

38-SQ-T-PIECE-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 59.95

ea. incl. VAT



3 Way Connector

38-SQ-3-90-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 59.95

ea. incl. VAT



4 Way Connector

38-SQ-4-90-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 69.95

ea. incl. VAT



5 Way Connector

38-SQ-5-90-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 79.95

ea. incl. VAT



38mm Square Adjustable Connectors

2 Way Adjustable

38-SQ-ADJ-2-WAY-B

- Adjustable from 45°-180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 89.95

ea. incl. VAT

3 Way Adjustable

38-SQ-ADJ-3-WAY-B

- Adjustable from 45°-180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 99.95

ea. incl. VAT

4 Way Adjustable

38-SQ-ADJ-4-WAY-B

- Adjustable from 45°-180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 119.95

ea. incl. VAT



Straight Connector

38-SQ-2-180-B

- Advanced Polymer Formula
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 49.95

ea. incl. VAT



Powder Coated Steel Tube

38-STEEL-SQ-POWDER-COATED-2M

- 38x38mm
- 2m lengths
- Powder coated black
- Ideal for indoor use

R199.95

ea. incl. VAT



6061-T6 Aluminium Tube

38-SQ-ALU

- Natural OR matt black powder coated
- 38x38mm, 3m length
- High tensile, tough aircraft grade
- Ideal for outdoor & coastal

R299.95

ea. incl. VAT

R349.95

ea. incl. VAT



Adjustable End Cap

38-SQ-ADJ-END-CAP-B

- Adjustable from 45°-180°
- Advanced Polymer Formula
- Use 4.8x22mm Wafer Tek Screw to secure
- Fits into 1.2-1.6mm wall thickness steel profiles

R 24.95

ea. incl. VAT

Adjustable Foot

38-SQ-ADJ-F-B

- Use with 38mm Adjustable End Caps

R 29.95

ea. incl. VAT

End Cap (Foot)

38-SQ-END-B

- Advanced Polymer Formulation
- Fits into 1.2-1.6mm wall thickness steel profiles

R 4.95

ea. incl. VAT



MADE
TOUGH IN AFRICA
ISO 9001

38mm Round

1½ inch Round



MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter

**38mm Round Corner**

38-R-2-90-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 49.95

ea. incl. VAT

**38mm Round 3 Way 90°**

38-R-3-90-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 59.95

ea. incl. VAT

**38mm Round Brace**

38-R-BRACE-B

- Advanced Polymer Formulation
- Secure into profile with High Torque Stitching Screws
- Fits 1.2-1.6mm wall thickness steel profiles

R 39.95

ea. incl. VAT

**38mm Round 2 Way Adjustable**

38-R-ADJ-2-WAY-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 89.95

ea. incl. VAT

**38mm Round 3 Way Adjustable**

38-R-ADJ-3-WAY-B

- Advanced Polymer Formulation
- Secure into connector with 4.8x22mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles

R 99.95

ea. incl. VAT

**38mm Round Adjustable End Cap**

38-R-ADJ-ENDCAP-B

- Compatible with Adjustable Foot

R 24.95

ea. incl. VAT

**38mm Round Aluminium Tube**

38-ALU-R-3M

- 3m lengths
- High tensile, tough aircraft grade (6061)
- Ideal for outdoor & coastal

R 199.95


ea. incl. VAT



MADE
TOUGH IN AFRICA
ISO 9001

25mm Square

1 inch SQ.




MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter




EVENTS & ENTERTAINMENT



SIGNAGE AND DISPLAY




4x4 AND CAMPING



HOME & DIY



AGRICULTURAL SOLUTIONS



INTERIOR DESIGN

Connect-it 25mm connectors are the backbone of the brand's success, with a reputation of speed, efficiency and cost savings.

- UV protected for extended lifespan
- Equally strong as welding 25x25x1.2mm steel tubing

See torque test on Pg 55

25mm/1"

Square Standard Range



TAKE NOTE
FASTENERS
STITCHING
SCREWS
INTO
PROFILE
WAFER TEKS
& LOCK PINS
INTO
CONNECTOR



2 Way Adjustable Connector
 25-SQ-ADJ-B

- Adjustable from 45° - 180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness Steel profiles

R 39.95

ea. incl. VAT



3 Way Adjustable Connector
 25-SQ-ADJ-3-WAY-B

- Adjustable from 45° - 180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness Steel profiles

R 49.95

ea. incl. VAT



4 Way Adjustable Connector
 25-SQ-ADJ-4-WAY-B

- Adjustable from 45° - 180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness Steel profiles

R 59.95

ea. incl. VAT



Brace Connector
 25-SQ-BRACE-B

- Secure into profile with High Torque Stitching Screws
- Fits into 1.2-1.6mm wall thickness steel profiles

R 18.95

ea. incl. VAT



Corner Piece Connector
 25-SQ-2-90-B

- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 19.95

ea. incl. VAT



T-Piece Connector
 25-SQ-T-PIECE-B

- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 29.95

ea. incl. VAT



3 Way Connector
 25-SQ-3-90-B

- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 29.95

ea. incl. VAT



4 Way Connector
 25-SQ-4-90-B

- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 36.95

ea. incl. VAT



25mm Universal Clip
 25-SQ-UNI-B

- Advanced Polymer Formulation
- Fits over 25x25mm Square Steel Profile

R 9.95

ea. incl. VAT



Straight Connector
 25-SQ-2-180-B

- Secure into connector with 4.8x1.6mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.6mm wall thickness steel profiles

R 21.95

ea. incl. VAT



End Cap
 25-SQ-END-B

R 2.95

ea. incl. VAT



Adjustable End Cap
 25-SQ-END-CAP-ADJ-B

R 12.95

ea. incl. VAT



End Cap Foot
 25-SQ-ADJ-F-B

R 12.95

ea. incl. VAT

25mm/1"

Square Standard Range



6061-T6 Aluminium Tube

25-ALU-SQ-3M

- Natural OR matt black powder coated
- 25x25mm, 3m length
- High tensile, tough aircraft grade
- Ideal for outdoor & coastal

 **R 199.95** ea. incl. VAT

 **R 219.95** ea. incl. VAT




3CR12 Stainless Steel Tube

25-STEEL-SQ-STAINLESS-3CR12-3M

- 25x25mm
- 3m lengths
- Indoor, outdoor and non-coastal application

R 249.95 ea. incl. VAT



Powder Coated Steel Tube

25-STEEL-SQ-POWDER-COATED-2M

- 25x25mm
- 2m lengths
- Powder coated black
- Ideal for indoor use

R 149.95 ea. incl. VAT



25mm/1"

Square Standard Range (Hollow)



TAKE NOTE
FASTENERS
STITCHING
SCREWS
INTO
PROFILE
WAFER TEKS
& LOCK PINS
INTO
CONNECTOR



2 Way Adjustable Connector
 25-SQ-ADJ-BODY-G

- Adjustable from 45° - 180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness Alu profiles

R 39.95

ea. incl. VAT



3 Way Adjustable Connector
 25-SQ-ADJ-3-WAY-G

- Adjustable from 45° - 180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness Alu profiles

R 49.95

ea. incl. VAT



4 Way Adjustable Connector
 25-SQ-ADJ-4-WAY-G

- Adjustable from 45° - 180°
- Advanced Polymer Formulation
- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness Alu profiles

R 59.95

ea. incl. VAT



Brace Connector
 25-SQ-BRACE-G

- Secure into profile with High Torque Stitching Screws
- Fits into 1.2-1.4mm wall thickness aluminium profiles

R 18.95

ea. incl. VAT



Corner Piece Connector
 25-SQ-2-90-G

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness aluminium profiles

R 19.95

ea. incl. VAT



T-Piece Connector
 25-SQ-T-PIECE-G

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness aluminium profiles

R 29.95

ea. incl. VAT



3 Way Connector
 25-SQ-3-90-G

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness aluminium profiles

R 29.95

ea. incl. VAT



4 Way Connector
 25-SQ-4-90-G

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness aluminium profiles

R 36.95

ea. incl. VAT



25mm Universal Clip
 25-SQ-UNI-G

- Advanced Polymer Formulation
- Fits over 25x25mm Square Steel Profile

R 9.95

ea. incl. VAT



Straight Connector
 25-SQ-STRAIGHT-G

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits into 1.2-1.4mm wall thickness aluminium profiles

R 21.95

ea. incl. VAT



End Cap
 25-SQ-ENDCAP-G

R 2.95

ea. incl. VAT



Adjustable End Cap
 25-SQ-ADJ-END-CAP-G

R 12.95

ea. incl. VAT



End Cap Foot
 25-SQ-ADJ-F-G

R 12.95


ea. incl. VAT




BUSINESS SOLUTIONS



KITCHEN DESIGN



SHOPFITTING & SHELVING




PET SOLUTIONS



MADE
TOUGH IN AFRICA
ISO 9001

25mm Heavy Duty (Black Solid)

1 inch SQ.



MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter

25mm/1"

Square Heavy Duty Range



Corner Connector

25-SQ-2-90-HEAVY-B

R 19.95

ea. incl. VAT



T-piece Connector

25-SQ-T-PIECE-HEAVY-B

R 29.95

ea. incl. VAT



3 Way Connector

25-SQ-3-90-HEAVY-B

R 29.95



4 Way Connector

25-SQ-4-90-HEAVY-B

R 36.95

ea. incl. VAT



5 Way Connector

25-SQ-5-90-HEAVY-B


R 39.95

ea. incl. VAT



**OUR HEAVY DUTY CONNECTORS
ARE MADE TO USE WITH**

STEEL PROFILES





MADE
TOUGH IN AFRICA
ISO 9001

25mm Heavy Duty (Grey Solid)

1 inch SQ.



25mm **NEW** 1 INCH SQUARE SOLID GREY GENERATION



Corner Connector

25-SQ-2-90-NEWGEN-G

R 19.95

ea. incl. VAT



T-piece Connector

25-SQ-T-PIECE-NEWGEN-G

R 29.95

ea. incl. VAT



3 Way Connector

25-SQ-3-90-NEWGEN-G

R 29.95



4 Way Connector

25-SQ-4-90-NEWGEN-G

R 36.95

ea. incl. VAT



5 Way Connector


25-SQ-5-90-NEWGEN-G

R 39.95

ea. incl. VAT

**OUR SOLID GREY CONNECTORS
ARE MADE TO USE WITH**

ALU PROFILES






MADE
TOUGH IN AFRICA
ISO 9001

25mm Round

1 inch R.



MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter

25mm/1" Round Standard Range



TAKE NOTE
FASTENERS
STITCHING
SCREWS
INTO
PROFILE
WAFFER TEKS
& LOCK PINS
INTO
CONNECTOR



25mm Round Aluminium

25-ALU-R-3M

- T6-6061 Aircraft Grade
- 3m lengths
- Use 4.8x16mm Wafer Tek Screw to secure

R 179.95

ea. incl. VAT



Straight Connector

25-R-2-180-B

- Standard Composite
- Use 4.8x16mm Wafer Tek Screw to secure

R 24.95

ea. incl. VAT



T-Piece Connector

25-R-T-PIECE-B

- Standard Composite
- Use 4.8x16mm Wafer Tek Screw to secure

R 29.95

ea. incl. VAT



Corner Piece Connector

25-R-2-90-B

- Standard Composite
- Use 4.8x16mm Wafer Tek Screw to secure

R 19.95

ea. incl. VAT



3 Way 90 Round

25-R-3-90-B

R 29.95

ea. incl. VAT



3 Way 60 Round

25-R-3-60-B

R 29.95

ea. incl. VAT



2 Way Ring Round

25-R-2-RING-B

R 24.95

ea. incl. VAT



1 Way Ring Round

25-R-1-RING-B

R 18.95

ea. incl. VAT



Modular Clip Round

25-R-MOD-B

R 14.95

ea. incl. VAT



Universal Clip Round

25-R-UNI-B

R 9.95

ea. incl. VAT



End Cap Round

25-R-END-B

R 2.95

ea. incl. VAT



Powder Coated Steel 2m (Indoor)

25-STEEL-R-TUBING-2M

R 149.95

ea. incl. VAT



MADE
TOUGH IN AFRICA
ISO 9001

19mm Square

$\frac{3}{4}$ inch SQ.




MADE TOUGH IN AFRICA


Connect-it >>>> Faster | Stronger | Smarter



RETAIL



SIGNAGE

HOME &
HOBBIES

4x4 & CAMPING



INNOVATION

Connect-it 19mm connectors are very tough for their size - perfect for 'heavy duty' **creativity**! Imagine it? Build it!

The 19mm ($\frac{3}{4}$ inch) range will get you jotting down DIY and business ideas and building them in no time!

19mm/³/₄" Square Range



TAKE NOTE
FASTENERS

STITCHING
SCREWS
INTO
PROFILE

WAFER TEKS
& LOCK PINS
INTO
CONNECTOR



Brace Connector

19-SQ-BRACE-B

- Secure into profile with High Torque Stitching Screws
- Fits into 1.2-1.6mm wall thickness Steel profiles
- Fits into 1.2-1.4mm wall thickness Aluminium profiles

R 9.95

ea. incl. VAT



Corner Piece Connector

19-SQ-2-90-B

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles
- Fits 1.2-1.4mm wall thickness Aluminium profiles

R 12.95

ea. incl. VAT



T-Piece Connector

19-SQ-T-PIECE-B

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles
- Fits 1.2-1.4mm wall thickness Aluminium profiles

R 14.95

ea. incl. VAT



3 Way Connector

19-SQ-3-90-B

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles
- Fits 1.2-1.4mm wall thickness Aluminium profiles

R 14.95

ea. incl. VAT



4 Way Connector

19-SQ-4-90-B

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles
- Fits 1.2-1.4mm wall thickness Aluminium profiles

R 17.95

ea. incl. VAT



60 Degree Connector

19-SQ-2-60-B

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles
- Fits 1.2-1.4mm wall thickness Aluminium profiles

R 12.95

ea. incl. VAT

19mm/³/₄"

Square Range




End Cap

19-SQ-END-B

- Secure into connector with 4.8x16mm Wafer Tek Screws or Lock-pins
- Fits 1.2-1.6mm wall thickness steel profiles
- Fits 1.2-1.4mm wall thickness Aluminium profiles

R 1.95

ea. incl. VAT



Powder Coated Steel

19-SQ-STEEL

- 19x19mm
- 2m lengths
- Powder coated black
- Ideal for indoor use

R 129.95

ea. incl. VAT



6061-T6 Aluminium Tube

19-ALU-SQ-3M

- Natural OR matt black powder coated
- 25x25mm, 3m length
- High tensile, tough aircraft grade
- Ideal for outdoor & coastal

 **R 169.95**

ea. incl. VAT

 **R 189.95**

ea. incl. VAT

T A K E N O T E

DID YOU KNOW

A composite is a material consisting of two (or more) different materials bonded together, one forming a 'matrix' in which are embedded fibers or particles that increase the strength and stiffness of the matrix material.

Connectors are made of an advanced polymer composite, which make them so tough!

MADE
TOUGH IN AFRICA



ISO 9001





MADE
TOUGH IN AFRICA

ISO 9001

LIPPED CHANNEL CONNECTOR

200x75mm

150x50mm

125x50mm



MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter



200x75mm Lipped Channel Connector

LC-200x75

R 119.95ea

incl. VAT



150x50mm Lipped Channel Connector

LC-150x50

R 79.95ea

incl. VAT



125x50mm Lipped Channel Connector

LC-125x50

R 59.95ea

incl. VAT

**2
UNITS
/PK**

200x75mm LCC Pack

LC-200x75-2P

- 2x Lipped Channel Connectors
- 7x Lipped Channel Plugs
- 2x Lipped Channel Bushes
- 2x 120mm Coach screws
- 4x 50mm Coach screws and washers

R 349.95/pk

incl. VAT

**2
UNITS
/PK**

150x50mm LCC Pack

LC-150x50-2P

- 2x Lipped Channel Connectors
- 6x Lipped Channel Plugs
- 2x Lipped Channel Bushes
- 2x 90mm Coach screws
- 4x 30mm Coach screws and washers

R 249.95/pk

incl. VAT

**2
UNITS
/PK**


125x50mm LCC Pack

LC-125x50-2P

- 2x Lipped Channel Connectors
- 6x Lipped Channel Plugs
- 2x Lipped Channel Bushes
- 2x 90mm Coach screws
- 4x 30mm Coach screws and washers

R 219.95/pk

incl. VAT



Corner Piece Connector

25-SQ-2-90-G

R 19.95

ea. incl. VAT



Brace Connector

25-SQ-BRACE-G

R 18.95

ea. incl. VAT



Corner Piece Connector

25-SQ-2-90-G

R 19.95

ea. incl. VAT



Brace Connector

25-SQ-BRACE-G

R 18.95

ea. incl. VAT

**12
UNITS
/PK**

Lipped Channel Connector Plug

LC-PLUG-ABS-SG

- To secure LCC with coach screws

R 9.95/ea**R 79.95/pk**

incl. VAT

**12
UNITS
/PK**

Lipped Channel Bushes

LC-BUSH-UNIT


- Coach screw guide

R 9.95/ea**R 79.95/pk**

incl. VAT



Lipped Channel Applications



MADE **TOUGH** IN **AFRICA**

Connect-it >>>> Faster | **Stronger** | Smarter



MADE
TOUGH IN AFRICA
ISO 9001

CHAMELEON SOLAR BRACKETS

Universal Solar Solutions



2
UNITS
/PK



Chameleon Universal Solar Bracket

CHAM-SLR-BKT-2P

- 204,7x 46,2mm
- Made of industrial Polymer
- UV Protected
- Works with 30-40mm solar panel heights

R 219.95

ea. incl. VAT

24
UNITS
/BOX



Chameleon Universal Solar Bracket Bulk Box

CHAM-SLR-BKT-24-BULK-BOX

- 204,7x 46,2mm
- Made of industrial Polymer
- UV Protected
- Works with 30-40mm solar panel heights

R2,222.95

ea. incl. VAT

**ONLY R80.00 EX VAT
PER BRACKET**

4
UNITS
/PK



Chameleon Solar Bracket End


CHAM-SLR-BKT-END-4PK

- For use with the Chameleon Solar Bracket at ends of solar panel strings
- Panel heights 30mm - 40mm
- Easy height adjustment with No.6 Allan key

R 49.95

ea. incl. VAT

Locates across corrugated ribs for a portrait panel installation



Locates along flat-top roof ribs for a landscape panel installation




Easily locates onto the side of any flat top beam



Locates across iibr ribs for a portrait panel installation



Chameleon Solar Applications



Connect-it >>>> Faster | Stronger | Smarter

MADE TOUGH IN AFRICA




MADE
TOUGH IN AFRICA
ISO 9001

SMART BOARD BRACKETS

6-16mm Boards (Chipboard, Melamine, Foamboard)

1-6mm Boards (Chromadeck, Perspex, Glass)



MADE TOUGH IN AFRICA

Connect-it >>>> Faster | Stronger | Smarter

The fastest, smartest way to secure your board in a frame

Revolutionising the signage and shopfitting industry!



Straight Board Bracket
1-6mm

SBB_S_6

- Superior Composite for extra strength
- Includes 2x Board Screws (soft tip to protect substrate)
- Secure into profile with High Torque Stitching Screws

LAUNCH PRICE R 19.95 ea. incl. VAT

T's & C's APPLY



Straight Board Bracket
6-16mm

SBB_L_16

- Superior Composite for extra strength
- Includes 2x Board Screws (soft tip to protect substrate)
- Secure into profile with High Torque Stitching Screws

LAUNCH PRICE R 19.95 ea. incl. VAT

T's & C's APPLY

USE WITH:

Glass / Plexiglass
Wood / Melamine
Foam board / Correx / ABS
and many more!



STEEL BRACKETS

Range

POWDER
COATEDINDOOR
USE



Board Bracket Standard (Z)

- Use on 38mm profile with a single 16-18mm board

BRACKET-Z-STD-B

R 24.95per unit
incl. VAT

BRACKET-Z-STD-B-PK

R 49.95per 2-pack
incl. VAT


Double Board Bracket (M)

- Use on 38mm profile with two 16-18mm boards

BRACKET-M-DBL-B

R 24.95per unit
incl. VAT

BRACKET-M-DBL-B-PK

R 49.95per 2-pack
incl. VAT



Universal Bracket (L)

- Can be used on all profiles (19-50mm) with a single sided board or sheeting

BRACKET-L-UNI-B

R 14.95per unit
incl. VAT

BRACKET-L-UNI-B-PK

R 29.95per 2-pack
incl. VAT

STEEL BRACKETS

Range

**POWDER
COATED****INDOOR
USE****Universal Stiffener
Bracket (Regular)**

BRACKET-UNI-STIFFENER-B

R 44.95each
incl. VAT**Universal Stiffener
Bracket (Heavy Duty)**


BRACKET-UNI-STIFFENER-HEAVY-B

R 49.95each
incl. VAT**Stiffener Bracket
(Regular)**

BRACKET-STIFFENER-B

R 44.95each
incl. VAT**Stiffener Bracket
(Heavy Duty)**

BRACKET-STIFFENER-HEAVY-B

R 49.95each
incl. VAT**38mm Board Bracket**

BRACKET-MB-GUSSET-B-CRD

R 29.95each
incl. VAT

FASTENERS

Range



TAKE NOTE
FASTENERS

**STITCHING
SCREWS**

INTO
PROFILE

**WAFER TEKS
& LOCK PINS**

INTO
CONNECTOR



Hi-Torque Stitching Screws (Anodised)

4.8x20mm

F-12X20-STITCH-SCREW-YZP-NEEDLE
-POINT-WITH-SEAL

- Tapered neck for superior fastening capability
- **Pack of 25**

R 39.95

per pack
incl. VAT



Hi-Torque Self Drilling Tip (Anodised)

5.5x22mm

F-14X22-STITCH-SCREW-YZP-N-WASHER-
-SINGLE

- Hi-torque self-drilling tip
- Tapered neck for superior fastening capability
- **Pack of 25**

R 39.95

per pack
incl. VAT




Lock-it

F-8MM-LOCK-PINS-CRD-20PK

- Use with 19mm, 25mm & 38mm connectors
- High performance plastic with strong load bearing capacity
- **Pack of 20**

R 39.95

per pack
incl. VAT



Wafer Tek Screws (Anodised)


4.8x16mm

F-4.8X16-WAFER-TEK-SCREW-25PACK

- Use with 19mm, 25mm connectors
- **Pack of 25**

R 21.95

per pack
incl. VAT



Wafer Tek Screws (Anodised)

4.8x22mm

F-4.8X22-WAFER-TEK-SCREW-25PACK

- Use with 38mm, 50mm connectors
- **Pack of 25**

R 26.95

per pack
incl. VAT



Hex Head Wafer Tek Screws (Galvanised)

5.5x25mm

F-5.5X25-HEX-WAFER-TEK-SCREWS-100PACK

- Use with 50mm connectors
- **Pack of 100**

R 99.95

per pack
incl. VAT

PRODUCTIVITY

ADD-ONS



Mark-It 3-in-1 pack + 8mm drill bit
MARK-DRILL-SET

- Includes 19mm, 25mm and 38mm marker tools
- Includes 8mm steel drill bit

R 49.95

per pack
incl. VAT



FASTER



STRONGER



SMARTER



50mm Drilling Jig

50mm-DRILLING-JIG-CRD

R 59.95

per pack
incl. VAT



CONNECT-IT SYSTEM

Choose the correct locking method



1

FIT IT

2

LOCK IT

3

LIKE IT

1. FIT IT

Insert the connector into the steel profiles. Use a rubber mallet to knock into place.

Some sheering may occur depending on the steel wall thickness used to ensure a good fitment.



2. DRILL IT

Use a 8mm steel drill bit to drill through the steel profile and the connector.

It is not necessary to drill through both sides of the profile.



3. LOCK IT

Insert Lock-It and knock into place with rubber mallet.



PRO's:

Neat aesthetics

1. FIT IT

Insert the connector into the steel profiles. Use a rubber mallet to knock into place.

Some sheering may occur depending on the steel wall thickness used to ensure a good fitment.



2. SELF-DRILL IT

Align the Wafer Tek Screw with the mark, and apply sufficient pressure while drilling to ensure it does not slip. It is preferable to start on a slower speed and then increase it as the screw progresses through the profile.

Please note:

For 19mm and 25mm connectors and steel profiles, use the **4.8x16mm Wafer Tek Screw**.
For 38mm and 50mm connectors and steel profiles, use the **4.8x22mm Wafer Tek Screw**



PRO's:

Productivity

PURCHASE INCENTIVES


Based on VOLUME

Connect-it will reward loyal customers through a **Volume Incentive Structure**.

To qualify, terms and conditions apply. Please see purchase structures below and contact Connect-it for more information.

Empowering YOU for profitability

Discount Per Purchase - T's & C's Apply



Q & A

The more you know, the more you can do.

What wall thickness steel and aluminum can the connectors fit into?

Steel profiles with 1.2mm - 1.6mm can be used.
Aluminium profiles with 1.2mm - 1.4mm can be used.

What is the maximum weight all sizes can carry?

If the steel profile can handle it, then the connector can carry it.
Please refer to the torque strength test on next page (Pg 43).

Can connectors be painted?

Yes. With correction preparation for specific paint application, connectors can be colour coded along with rest of your frame colour.

How long will connectors last in the sun?

The materials used are UV stabilised, and black connectors contain carbon black. Lifespan in the African sun is dependent per application and exposure.

Where do you start to build your frame?

Start from the outside, building inwards. With housing projects, think of a pot-and-lid scenario.

Should you use a brace or t-piece?

This decision can be made depending on overall budget available for the project, along with practical application of the joint construction.

What is the maximum degrees for the different size adjustable connectors?

25mm - Adjustable from 45° to 180° in 15° adjustments
38mm - Adjustable from 45° to 180° in 15° adjustments
50mm - Adjustable from 30° to 195° in 15° adjustments

Please visit our website for more information - www.connect-it.cc


THE STRENGTH TEST

Connect-it power!



TORQUE TEST RESULTS

	CONNECTORS	VS	WELDING
50mm	1030nm		667nm
38mm	530nm		441nm
25mm	tbc		tbc
19mm	tbc		tbc



Tested on site at Connect-it Innovation Hub, Centurion, Gauteng. Using mild steel tubing with 1.6mm wall thickness. Each connector tested twice to get an average reading. Welding completed by a professional boiler maker.

EASY ORDERING

1 RETAIL SALES

Find your nearest participating retail outlet via our website on:

**[www.connect-it.cc/
where-to-buy-connect-it](http://www.connect-it.cc/where-to-buy-connect-it)**

* **STOCKING ENQUIRIES:**
africa@connect-it.cc

2 DIRECT

- **HEAD OFFICE/NATIONAL:**
africa@connect-it.cc
- **EASTERN CAPE:**
jbay@connect-it.cc
- **NAMIBIA:**
namibia@connect-it.cc
- **INTERNATIONAL:**
africa@connect-it.cc

3 ONLINE

Visit our online store at
www.connect-it.cc/shop
and shop your desired products.

Follow the online instructions through the check-out process.



WE BACK OUR PRODUCTS

Connect-it 24 month exchange policy


We will replace any connector that fails under regular usage according to maximum safe load per connector size, within 24 months of purchase.

** Terms and conditions apply.*

CONNECT-IT
Faster | Stronger | Smarter

[illegible]

DESIGN





www.conframedia.co.za 2026



Faster | **Stronger** | Smarter

Tel. +27 (0)12 004 0774
E-mail. africa@connect-it.cc
Web. www.connect-it.cc
[f](#) [i](#) [v](#) [connectitcc](#)

